



2024 ANNUAL WATER QUALITY REPORT

Reporting Year 2023



Presented By
 **Village of
Schaumburg**

PWS ID#: IL0314890



Our Commitment

We are pleased to present to you this year's annual water quality report. This report is a snapshot of last year's water quality covering all testing performed between January 1 and December 31, 2023. Included are details about your source of water, what it contains, and how it compares to standards set by regulatory agencies. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water and providing you with this information because informed customers are our best allies.

Source Water Assessment

The Illinois EPA considers all surface water sources of community water supplies to be susceptible to potential pollution problems. The very nature of surface water allows contaminants to migrate into the intake with no protection, only dilution. This is the reason for mandatory treatment for all surface water supplies in Illinois.

Chicago's offshore intakes are located at a distance such that shoreline impacts are not usually considered a factor in water quality. At certain times of the year, however, the potential for contamination exists due to wet weather flows and river reversals. In addition, the placement of the crib structures may serve to attract waterfowl - gulls and terns - that frequent the Great Lakes area, concentrating fecal deposits at the intake and compromising the source water quality. Conversely, the shore intakes are highly susceptible to stormwater runoff, marinas, and shoreline point sources due to the influx of groundwater to the lake. Further information on our community water supply's Source Water Assessment Program is available by calling the City of Chicago, Department of Water Management, at (312) 742-2406. This is Schaumburg's de facto report since Chicago is the sole source water supplier to the Village.

Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. EPA/Centers for Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by *cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791 or water.epa.gov/drink/hotline.



Substances That Could Be in Water

To ensure that tap water is safe to drink, the U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, in some cases radioactive material, and substances resulting from the presence of animals or from human activity. Substances that may be present in source water include:

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife;

Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;

Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and may also come from gas stations, urban stormwater runoff, and septic systems;

Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

QUESTIONS?

You may notice that most of the wording in this year's report is identical to last year's report. That is because the wording is mandated by the U.S. Environmental Protection Agency (U.S. EPA) and must be put in the report every year. If you have any questions about this mandatory language or this report, please contact Brian Wagner, Utility Superintendent, Engineering and Public Works Department, at (847) 895-7100.

Lead in Home Plumbing

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water, but we cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to two minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline at (800) 426-4791 or epa.gov/safewater/lead.



Source Water Description

One hundred percent of the water used by the Village of Schaumburg comes from Lake Michigan. The City of Chicago utilizes Lake Michigan as its sole source water via two water treatment plants. The Jardine Water Purification Plant serves the northern areas of the city and suburbs, including Schaumburg, while the South Water Purification Plant serves the southern areas of the city and suburbs.

Lake Michigan is the only Great Lake that is entirely contained within the United States. It borders Illinois, Indiana, Michigan, and Wisconsin and is the second largest Great Lake by volume, with 1,180 cubic miles of water, and the third largest by area. Water from Chicago is pumped to Schaumburg by the Northwest Suburban Municipal Joint Action Water Agency (NSMJAWA). Water is delivered to the village's distribution system at four locations. We then repump the water to our 27,000-plus customers through a system that consists of 286 miles of water main, 4,500 fire hydrants, nine reservoirs, and seven pumping stations.

Public Meetings

The Village of Schaumburg is committed to providing you with a water supply of the highest possible quality and the information necessary to keep you an informed consumer. If you would like to learn more, please feel welcome to attend any of the regularly scheduled meetings of the Engineering and Public Works Committee. Please contact Brian Wagner at (847) 895-7100 for information on these meetings, or visit villageofschaumburg.com.



Test Results

Our water is monitored for many different kinds of substances on a very strict sampling schedule, and the water we deliver must meet specific health standards. Here, we only show those substances that were detected in our water (a complete list of all our analytical results is available upon request). Remember that detecting a substance does not mean the water is unsafe to drink; our goal is to keep all detects below their respective maximum allowed levels. We are pleased to report that your drinking water meets or exceeds all federal and state requirements.

The state recommends monitoring for certain substances less than once per year because the concentrations of these substances do not change frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken.

The percentage of total organic carbon (TOC) removal was measured each month, and the system met all TOC removal requirements set by Illinois EPA.

We participated in the fifth stage of the U.S. EPA's Unregulated Contaminant Monitoring Rule (UCMR5) program by performing additional tests on our drinking water. UCMR5 sampling benefits the environment and public health by providing the U.S. EPA with data on the occurrence of contaminants suspected to be in drinking water to determine if it needs to introduce new regulatory standards to improve drinking water quality. If you are interested in examining the results, please contact Brian Wagner at (847) 923-6612 or Village of Schaumburg, Engineering and Public Works, 714 South Plum Grove Road, Schaumburg, IL 60193. If you would like more information on the U.S. EPA's Unregulated Contaminant Monitoring Rule, please call the Safe Drinking Water Hotline at (800) 426-4791.

REGULATED SUBSTANCES									
				Village of Schaumburg		City of Chicago			
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	MCL [MRDL]	MCLG [MRDLG]	AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH	VIOLATION	TYPICAL SOURCE
Barium (ppm)	2023	2	2	NA	NA	0.0195	0.0192–0.0195	No	Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits
Chlorine (ppm)	2023	[4]	[4]	1	1–1	NA	NA	No	Water additive used to control microbes
Fluoride ¹ (ppm)	2023	4	4	NA	NA	0.74	0.66–0.74	No	Erosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories
Gross Alpha Particle Activity [excluding radon and uranium] (pCi/L)	2020	15	0	NA	NA	3.1	2.8–3.1	No	Decay of natural and human-made deposits
Haloacetic Acids [HAAs]–Stage 2 (ppb)	2023	60	NA	23	8.94–38.2	NA	NA	No	By-product of drinking water disinfection
Nitrate (ppm)	2023	10	10	NA	NA	0.33	0.29–0.33	No	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Radium 226 + 228 [combined radium] (pCi/L)	2020	5	0	NA	NA	0.95	0.83–0.95	No	Decay of natural and human-made deposits
Sodium (ppm)	2023	NA ²	NA	NA	NA	8.71	8.43–8.71	No	Erosion of naturally occurring deposits; used in water softener regeneration
Total Nitrate + Nitrite (ppm)	2023	10	10	NA	NA	0.33	0.29–0.33	No	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
TTHMs [total trihalomethanes]–Stage 2 (ppb)	2023	80	NA	48	18.7–69.9	NA	NA	No	By-product of drinking water disinfection
Turbidity ³ (NTU)	2023	TT	NA	NA	NA	0.25	NA	No	Soil runoff
Turbidity (lowest monthly percent of samples meeting limit)	2023	TT = 95% of samples meet the limit	NA	NA	NA	100	NA	No	Soil runoff

Tap water samples were collected for lead and copper analyses from sample sites throughout the community

SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AL	MCLG	AMOUNT DETECTED (90TH %ILE)	SITES ABOVE AL/TOTAL SITES	VIOLATION	TYPICAL SOURCE
Copper (ppm)	2023	1.3	1.3	0.0535 ⁴	0/30	No	Corrosion of household plumbing systems; erosion of natural deposits
Lead (ppb)	2023	15	0	0.837 ⁵	0/30	No	Corrosion of household plumbing systems; erosion of natural deposits

¹ Fluoride is added to the water supply to help promote strong teeth. The Illinois Department of Public Health recommends an optimal fluoride level of 0.7 ppm, with a range of 0.6 to 0.8 ppm.

² There is no state or federal MCL for sodium. Monitoring is required to provide information to consumers and health officials who have concerns about sodium intake due to dietary precautions. If you are on a sodium restricted diet, you should consult a physician about the level of sodium in the water.

³ Turbidity is a measure of the cloudiness of the water. It is monitored because it is a good indicator of the effectiveness of the filtration system.

⁴ Range: ND - 166 ppm.

⁵ Range: ND - 1.8 ppb.

⁶ No MCL or mandatory health effects language has been established for this contaminant by either state or federal regulations. The purpose of unregulated contaminant monitoring is to assist U.S. EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted.

UNREGULATED SUBSTANCES ⁶

		Village of Schaumburg		City of Chicago			
SUBSTANCE (UNIT OF MEASURE)	YEAR SAMPLED	AMOUNT DETECTED	RANGE LOW-HIGH	AMOUNT DETECTED	RANGE LOW-HIGH	TYPICAL SOURCE	
Sulfate (ppm)	2023	NA	NA	27.8	25.0–27.8	Erosion of naturally occurring deposits	

Definitions

90th %ile: The levels reported for lead and copper represent the 90th percentile of the total number of sites tested. The 90th percentile is equal to or greater than 90% of our lead and copper detections.

AL (Action Level): The concentration of a contaminant that triggers treatment or other required actions by the water supply.

MCL (Maximum Contaminant Level): The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.

MCLG (Maximum Contaminant Level Goal): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.

MRDL (Maximum Residual Disinfectant Level): The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

MRDLG (Maximum Residual Disinfectant Level Goal): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

NA: Not applicable.

ND (Not detected): Indicates that the substance was not found by laboratory analysis.

NTU (Nephelometric Turbidity Units): Measurement of the clarity, or turbidity, of water. Turbidity in excess of 5 NTU is just noticeable to the average person.

pCi/L (picocuries per liter): A measure of radioactivity.

ppb (parts per billion): One part substance per billion parts water (or micrograms per liter).

ppm (parts per million): One part substance per million parts water (or milligrams per liter).

TT (Treatment Technique): A required process intended to reduce the level of a contaminant in drinking water.

